

## Report Parameters:

**Report Period:** From 01/01/2011 to 12/31/2011

**Selected Coded Field:** Basic: Incident Type

**State:** VA

**Version:** All

**Status:** All

**Released:** All

## Report Filters:

**NOTE: Report Filter Groups are applied to the report SQL as "AND" conditions (i.e. Group 1 AND Group2 and Group 3 etc...)**

**Report FDIDs\*:** All

\*Data from deactivated fire depts within the list was not included in the report.

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
100	Fire, other	977	0.15 %	10	0	0.00 %	24	3.93 %	0	0.00 %	1	0.17 %	1,887,122	1.02 %	747,565	1.15 %	2,634,687	1.05 %
110	Structure fire, other (conversion only)	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	30,000	0.02 %	20,000	0.03 %	50,000	0.02 %
111	Building fires	4,913	0.74 %	171	43	37.72 %	317	51.97 %	0	0.00 %	220	37.48 %	118,396,435	63.76 %	53,605,828	82.14 %	172,002,263	68.54 %
112	Fires in structures other than in a building	274	0.04 %	9	0	0.00 %	2	0.33 %	0	0.00 %	5	0.85 %	1,953,381	1.05 %	873,433	1.34 %	2,826,814	1.13 %
113	Cooking fire, confined to container	2,476	0.37 %	1	0	0.00 %	67	10.98 %	0	0.00 %	2	0.34 %	503,772	0.27 %	1,241,996	1.90 %	1,745,768	0.70 %
114	Chimney or flue fire, confined to chimney or flue	920	0.14 %	1	0	0.00 %	4	0.66 %	0	0.00 %	3	0.51 %	141,359	0.08 %	44,871	0.07 %	186,230	0.07 %
115	Incinerator overload or malfunction, fire confined	22	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	600	0.00 %	2,101	0.00 %	2,701	0.00 %
116	Fuel burner/boiler malfunction, fire confined	136	0.02 %	0	0	0.00 %	2	0.33 %	0	0.00 %	1	0.17 %	63,625	0.03 %	39,672	0.06 %	103,297	0.04 %
117	Commercial Compactor fire, confined to rubbish	26	0.00 %	0	0	0.00 %	1	0.16 %	0	0.00 %	0	0.00 %	4,400	0.00 %	5,750	0.01 %	10,150	0.00 %
118	Trash or rubbish fire, contained	486	0.07 %	1	0	0.00 %	2	0.33 %	0	0.00 %	0	0.00 %	28,503	0.02 %	26,795	0.04 %	55,298	0.02 %
120	Fire in mobile prop. used as a fixed struc., other	15	0.00 %	1	1	0.88 %	0	0.00 %	0	0.00 %	0	0.00 %	176,800	0.10 %	119,150	0.18 %	295,950	0.12 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
121	Fire in mobile home used as fixed residence	176	0.03 %	9	2	1.75 %	13	2.13 %	0	0.00 %	6	1.02 %	1,613,605	0.87 %	655,062	1.00 %	2,268,667	0.90 %
122	Fire in motor home, camper, recreational vehicle	32	0.00 %	4	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	235,600	0.13 %	106,200	0.16 %	341,800	0.14 %
123	Fire in portable building, fixed location	21	0.00 %	1	0	0.00 %	1	0.16 %	0	0.00 %	1	0.17 %	103,100	0.06 %	25,850	0.04 %	128,950	0.05 %
130	Mobile property (vehicle) fire, other	512	0.08 %	15	1	0.88 %	3	0.49 %	0	0.00 %	0	0.00 %	1,236,134	0.67 %	190,841	0.29 %	1,426,975	0.57 %
131	Passenger vehicle fire	2,979	0.45 %	86	9	7.89 %	16	2.62 %	0	0.00 %	5	0.85 %	9,032,166	4.86 %	994,090	1.52 %	10,026,256	4.00 %
132	Road freight or transport vehicle fire	383	0.06 %	7	2	1.75 %	1	0.16 %	0	0.00 %	2	0.34 %	4,745,188	2.56 %	2,107,054	3.23 %	6,852,242	2.73 %
133	Rail vehicle fire	9	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	27,600	0.01 %	100	0.00 %	27,700	0.01 %
134	Water vehicle fire	34	0.01 %	2	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	152,300	0.08 %	64,250	0.10 %	216,550	0.09 %
135	Aircraft fire	11	0.00 %	0	2	1.75 %	3	0.49 %	0	0.00 %	1	0.17 %	795,800	0.43 %	500,501	0.77 %	1,296,301	0.52 %
136	Self-propelled motor home or recreational vehicle	9	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	91,300	0.05 %	650	0.00 %	91,950	0.04 %
137	Camper or recreational vehicle (RV) fire	32	0.00 %	1	0	0.00 %	0	0.00 %	0	0.00 %	1	0.17 %	423,620	0.23 %	83,452	0.13 %	507,072	0.20 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
138	Off-road vehicle or heavy equipment fire	172	0.03 %	8	0	0.00 %	1	0.16 %	0	0.00 %	3	0.51 %	5,687,720	3.06 %	118,722	0.18 %	5,806,442	2.31 %
140	Natural vegetation fire, other	843	0.13 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	18,396	0.01 %	3,011	0.00 %	21,407	0.01 %
141	Forest, woods or wildland fire	791	0.12 %	2	0	0.00 %	2	0.33 %	0	0.00 %	9	1.53 %	967,179	0.52 %	146,077	0.22 %	1,113,256	0.44 %
142	Brush, or brush and grass mixture fire	3,742	0.56 %	18	0	0.00 %	2	0.33 %	0	0.00 %	12	2.04 %	24,209,750	13.04 %	156,820	0.24 %	24,366,570	9.71 %
143	Grass fire	1,066	0.16 %	4	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	247,312	0.13 %	5,792	0.01 %	253,104	0.10 %
150	Outside rubbish fire, other	757	0.11 %	1	0	0.00 %	2	0.33 %	0	0.00 %	0	0.00 %	164,178	0.09 %	59,813	0.09 %	223,991	0.09 %
151	Outside rubbish, trash or waste fire	1,314	0.20 %	4	0	0.00 %	5	0.82 %	0	0.00 %	0	0.00 %	167,613	0.09 %	18,700	0.03 %	186,313	0.07 %
152	Garbage dump or sanitary landfill fire	36	0.01 %	1	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1	0.00 %	1	0.00 %	2	0.00 %
153	Construction or demolition landfill fire	47	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,051	0.00 %	1,051	0.00 %	2,102	0.00 %
154	Dumpster or other outside trash receptacle fire	908	0.14 %	3	0	0.00 %	2	0.33 %	0	0.00 %	0	0.00 %	74,128	0.04 %	15,347	0.02 %	89,475	0.04 %
155	Outside stationary compactor/compacted trash fire	16	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.00 %	2,000	0.00 %	3,000	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
160	Special outside fire, other	610	0.09 %	7	0	0.00 %	4	0.66 %	0	0.00 %	0	0.00 %	198,910	0.11 %	32,637	0.05 %	231,547	0.09 %
161	Outside storage fire	121	0.02 %	6	0	0.00 %	0	0.00 %	0	0.00 %	5	0.85 %	218,026	0.12 %	408,221	0.63 %	626,247	0.25 %
162	Outside equipment fire	377	0.06 %	3	0	0.00 %	2	0.33 %	0	0.00 %	1	0.17 %	589,327	0.32 %	74,940	0.11 %	664,267	0.26 %
163	Outside gas or vapor combustion explosion	19	0.00 %	0	0	0.00 %	1	0.16 %	0	0.00 %	0	0.00 %	18,501	0.01 %	1,001	0.00 %	19,502	0.01 %
164	Outside mailbox fire	20	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,225	0.00 %	700	0.00 %	1,925	0.00 %
170	Cultivated vegetation, crop fire, other	51	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	1	0.17 %	3,741	0.00 %	1,576	0.00 %	5,317	0.00 %
171	Cultivated grain or crop fire	36	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	144,624	0.08 %	150,144	0.23 %	294,768	0.12 %
173	Cultivated trees or nursery stock fire	33	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,276	0.00 %	76	0.00 %	1,352	0.00 %
200	Overpressure rupture, explosion, overheat other	111	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	5,000	0.00 %	0	0.00 %	5,000	0.00 %
210	Overpressure rupture from steam, other	24	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
211	Overpressure rupture of steam pipe or pipeline	17	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	200	0.00 %	0	0.00 %	200	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
212	Overpressure rupture of steam boiler	9	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	40,000	0.02 %	15,000	0.02 %	55,000	0.02 %
213	Steam rupture of pressure or process vessel	7	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
220	Overpressure rupture from air or gas, other	51	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
221	Overpressure rupture of air or gas pipe/pipeline	82	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	5,000	0.00 %	5,000	0.01 %	10,000	0.00 %
222	Overpressure rupture of boiler from air or gas	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
223	Air or gas rupture of pressure or process vessel	29	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
231	Chemical reaction rupture of process vessel	24	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
240	Explosion (no fire), other	57	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	1	0.17 %	47,075	0.03 %	5,800	0.01 %	52,875	0.02 %
241	Munitions or bomb explosion (no fire)	10	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	100	0.00 %	0	0.00 %	100	0.00 %
242	Blasting agent explosion (no fire)	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
243	Fireworks explosion (no fire)	100	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	60	0.00 %	0	0.00 %	60	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
251	Excessive heat, scorch burns with no ignition	968	0.15 %	1	0	0.00 %	1	0.16 %	0	0.00 %	0	0.00 %	35,057	0.02 %	13,224	0.02 %	48,281	0.02 %
30	Rescue, emergency medical call (EMS), other	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
300	Rescue, emergency medical call (EMS) call, other	17,693	2.66 %	0	3	2.63 %	3	0.49 %	0	0.00 %	0	0.00 %	29,000	0.02 %	0	0.00 %	29,000	0.01 %
311	Medical assist, assist EMS crew	37,467	5.64 %	1	2	1.75 %	7	1.15 %	0	0.00 %	3	0.51 %	405,500	0.22 %	100	0.00 %	405,600	0.16 %
320	Emergency medical service, other	190	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
321	EMS call, excluding vehicle accident with injury	333,548	50.23 %	1	4	3.51 %	5	0.82 %	1	100.00 %	177	30.15 %	6,351	0.00 %	1	0.00 %	6,352	0.00 %
322	Vehicle accident with injuries	27,654	4.16 %	1	23	20.18 %	68	11.15 %	0	0.00 %	20	3.41 %	1,736,751	0.94 %	131,500	0.20 %	1,868,251	0.74 %
323	Motor vehicle/pedestrian accident (MV Ped)	1,876	0.28 %	0	3	2.63 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
324	Motor vehicle accident with no injuries	15,915	2.40 %	0	0	0.00 %	0	0.00 %	0	0.00 %	5	0.85 %	1,496,802	0.81 %	92,700	0.14 %	1,589,502	0.63 %
331	Lock-in (if lock out , use 511 )	546	0.08 %	0	0	0.00 %	0	0.00 %	0	0.00 %	2	0.34 %	305	0.00 %	0	0.00 %	305	0.00 %
340	Search, other	24	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
341	Search for person on land	106	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
342	Search for person in water	68	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
350	Extrication, rescue, other	169	0.03 %	0	0	0.00 %	1	0.16 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
351	Extrication of victim(s) from building/structure	59	0.01 %	0	0	0.00 %	1	0.16 %	0	0.00 %	0	0.00 %	55,000	0.03 %	6,500	0.01 %	61,500	0.02 %
352	Extrication of victim(s) from vehicle	744	0.11 %	0	12	10.53 %	15	2.46 %	0	0.00 %	6	1.02 %	781,435	0.42 %	63,125	0.10 %	844,560	0.34 %
353	Removal of victim(s) from stalled elevator	1,732	0.26 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
354	Trench/below grade rescue	18	0.00 %	0	1	0.88 %	0	0.00 %	0	0.00 %	2	0.34 %	0	0.00 %	0	0.00 %	0	0.00 %
355	Confined space rescue	20	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
356	High angle rescue	30	0.00 %	0	1	0.88 %	1	0.16 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
357	Extrication of victim(s) from machinery	45	0.01 %	0	0	0.00 %	1	0.16 %	0	0.00 %	0	0.00 %	800	0.00 %	0	0.00 %	800	0.00 %
360	Water & ice related rescue, other	139	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
361	Swimming/recreational water areas rescue	56	0.01 %	0	2	1.75 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
362	Ice rescue	4	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
363	Swift water rescue	175	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	3	0.51 %	300	0.00 %	0	0.00 %	300	0.00 %
364	Surf rescue	8	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
365	Watercraft rescue	153	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
370	Electrical rescue, other	11	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
371	Electrocution or potential electrocution	10	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
372	Trapped by power lines	9	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
381	Rescue or EMS standby	1,312	0.20 %	0	1	0.88 %	1	0.16 %	0	0.00 %	0	0.00 %	44,800	0.02 %	2,000	0.00 %	46,800	0.02 %
400	Hazardous condition, other	1,933	0.29 %	0	0	0.00 %	1	0.16 %	0	0.00 %	0	0.00 %	104,501	0.06 %	18,561	0.03 %	123,062	0.05 %
410	Flammable gas or liquid condition, other	364	0.05 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	500	0.00 %	0	0.00 %	500	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
411	Gasoline or other flammable liquid spill	1,461	0.22 %	0	0	0.00 %	0	0.00 %	0	0.00 %	1	0.17 %	16,725	0.01 %	5,295	0.01 %	22,020	0.01 %
412	Gas leak (natural gas or LPG)	4,239	0.64 %	0	0	0.00 %	0	0.00 %	0	0.00 %	6	1.02 %	2,450	0.00 %	1,100	0.00 %	3,550	0.00 %
413	Oil or other combustible liquid spill	640	0.10 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	3,000	0.00 %	0	0.00 %	3,000	0.00 %
420	Toxic condition, other	56	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	6	1.02 %	0	0.00 %	0	0.00 %	0	0.00 %
421	Chemical hazard (no spill or leak)	118	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	8	1.36 %	0	0.00 %	0	0.00 %	0	0.00 %
422	Chemical spill or leak	297	0.04 %	0	0	0.00 %	3	0.49 %	0	0.00 %	2	0.34 %	1	0.00 %	151	0.00 %	152	0.00 %
423	Refrigeration leak	33	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.00 %	10,500	0.02 %	11,500	0.00 %
424	Carbon monoxide incident	979	0.15 %	0	0	0.00 %	2	0.33 %	0	0.00 %	1	0.17 %	300	0.00 %	1	0.00 %	301	0.00 %
430	Radioactive condition, other	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
431	Radiation leak, radioactive material	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
440	Electrical wiring/equipment problem, other	2,404	0.36 %	0	0	0.00 %	0	0.00 %	0	0.00 %	2	0.34 %	20,326	0.01 %	8,351	0.01 %	28,677	0.01 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
441	Heat from short circuit (wiring), defective/worn	770	0.12 %	0	0	0.00 %	1	0.16 %	0	0.00 %	0	0.00 %	12,905	0.01 %	9,751	0.01 %	22,656	0.01 %
442	Overheated motor	735	0.11 %	0	0	0.00 %	0	0.00 %	0	0.00 %	2	0.34 %	31,450	0.02 %	9,650	0.01 %	41,100	0.02 %
443	Light ballast breakdown	164	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	6,300	0.00 %	500	0.00 %	6,800	0.00 %
444	Power line down	6,316	0.95 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	88,500	0.05 %	1,500	0.00 %	90,000	0.04 %
445	Arcing, shorted electrical equipment	2,768	0.42 %	0	0	0.00 %	1	0.16 %	0	0.00 %	0	0.00 %	644,965	0.35 %	526,046	0.81 %	1,171,011	0.47 %
451	Biological hazard, confirmed or suspected	49	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	9	1.53 %	0	0.00 %	0	0.00 %	0	0.00 %
460	Accident, potential accident, other	775	0.12 %	0	1	0.88 %	2	0.33 %	0	0.00 %	0	0.00 %	18,500	0.01 %	0	0.00 %	18,500	0.01 %
461	Building or structure weakened or collapsed	467	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	900,000	0.48 %	90,103	0.14 %	990,103	0.39 %
462	Aircraft standby	690	0.10 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
463	Vehicle accident, general cleanup	5,836	0.88 %	0	1	0.88 %	14	2.30 %	0	0.00 %	3	0.51 %	1,186,875	0.64 %	60,481	0.09 %	1,247,356	0.50 %
471	Explosive, bomb removal (for bomb scare, use 721)	56	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
480	Attempted burning, illegal action, other	120	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
481	Attempt to burn	63	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	3,160	0.00 %	260	0.00 %	3,420	0.00 %
482	Threat to burn	13	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
500	Service Call, other	4,594	0.69 %	0	0	0.00 %	0	0.00 %	0	0.00 %	1	0.17 %	2,550	0.00 %	0	0.00 %	2,550	0.00 %
510	Person in distress, other	1,644	0.25 %	0	0	0.00 %	1	0.16 %	0	0.00 %	1	0.17 %	0	0.00 %	0	0.00 %	0	0.00 %
511	Lock-out	2,604	0.39 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
512	Ring or jewelry removal	34	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
520	Water problem, other	841	0.13 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	146,200	0.08 %	63,000	0.10 %	209,200	0.08 %
521	Water evacuation	113	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	100	0.00 %	400	0.00 %	500	0.00 %
522	Water or steam leak	1,256	0.19 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	321,150	0.17 %	63,900	0.10 %	385,050	0.15 %
531	Smoke or odor removal	2,494	0.38 %	0	0	0.00 %	1	0.16 %	0	0.00 %	1	0.17 %	1,044,512	0.56 %	1,018,241	1.56 %	2,062,753	0.82 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
540	Animal problem, other	69	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
541	Animal problem	199	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
542	Animal rescue	290	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	1	0.17 %	0	0.00 %	0	0.00 %	0	0.00 %
550	Public service assistance, other	5,182	0.78 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	5,600	0.00 %	1,300	0.00 %	6,900	0.00 %
551	Assist police or other governmental agency	1,863	0.28 %	0	0	0.00 %	1	0.16 %	0	0.00 %	0	0.00 %	6,150	0.00 %	0	0.00 %	6,150	0.00 %
552	Police matter	1,312	0.20 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
553	Public service	14,898	2.24 %	0	0	0.00 %	0	0.00 %	0	0.00 %	16	2.73 %	11,695	0.01 %	0	0.00 %	11,695	0.00 %
554	Assist invalid	5,211	0.78 %	0	0	0.00 %	0	0.00 %	0	0.00 %	2	0.34 %	500	0.00 %	0	0.00 %	500	0.00 %
555	Defective elevator, no occupants	376	0.06 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
561	Unauthorized burning	2,079	0.31 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	311	0.00 %	1	0.00 %	312	0.00 %
571	Cover assignment, standby, moveup	1,095	0.16 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
600	Good intent call, other	10,704	1.61 %	1	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	78,422	0.04 %	10,626	0.02 %	89,048	0.04 %
611	Dispatched & canceled en route	34,515	5.20 %	2	0	0.00 %	1	0.16 %	0	0.00 %	1	0.17 %	5,800	0.00 %	0	0.00 %	5,800	0.00 %
621	Wrong location	240	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
622	No incident found at dispatch address	6,489	0.98 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	301	0.00 %	0	-0.00 %	300	0.00 %
631	Authorized controlled burning	1,906	0.29 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1	0.00 %	1	0.00 %	2	0.00 %
632	Prescribed fire	86	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	5	0.00 %	5	0.00 %	10	0.00 %
641	Vicinity alarm (incident in other location)	221	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
650	Steam, other gas mistaken for smoke, other	401	0.06 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
651	Smoke scare, odor of smoke	4,674	0.70 %	0	0	0.00 %	0	0.00 %	0	0.00 %	1	0.17 %	4,675	0.00 %	500	0.00 %	5,175	0.00 %
652	Steam, vapor, fog or dust thought to be smoke	789	0.12 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	500	0.00 %	0	0.00 %	500	0.00 %
653	Barbecue, tar kettle	197	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
661	EMS call, party transported by non-fire agency	370	0.06 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
671	Hazmat release investigation w/ no hazmat	1,014	0.15 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
672	Biological hazard, none found	47	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
700	False alarm or false call, other	8,123	1.22 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
710	Malicious, mischievous false call, other	799	0.12 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
711	Municipal alarm system, malicious false alarm	254	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	100	0.00 %	500	0.00 %	600	0.00 %
712	Direct tie to FD, malicious/false alarm	36	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
713	Telephone, malicious false alarm	99	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	1	0.17 %	0	0.00 %	0	0.00 %	0	0.00 %
714	Central station, malicious false alarm	377	0.06 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
715	Local alarm system, malicious false alarm	501	0.08 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
721	Bomb scare - no bomb	210	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
730	System malfunction, other	3,406	0.51 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1	0.00 %	1	0.00 %	2	0.00 %
731	Sprinkler activation due to malfunction	515	0.08 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	150	0.00 %	15,000	0.02 %	15,150	0.01 %
732	Extinguishing system activation due to malfunction	95	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
733	Smoke detector activation due to malfunction	3,881	0.58 %	0	0	0.00 %	0	0.00 %	0	0.00 %	1	0.17 %	0	0.00 %	0	0.00 %	0	0.00 %
734	Heat detector activation due to malfunction	282	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
735	Alarm system sounded due to malfunction	5,692	0.86 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	601	0.00 %	0	0.00 %	601	0.00 %
736	CO detector activation due to malfunction	1,234	0.19 %	0	0	0.00 %	1	0.16 %	0	0.00 %	1	0.17 %	0	0.00 %	0	0.00 %	0	0.00 %
740	Unintentional transmission of alarm, other	3,392	0.51 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1	0.00 %	1	0.00 %	2	0.00 %
741	Sprinkler activation, no fire - unintentional	664	0.10 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	83,000	0.04 %	27,500	0.04 %	110,500	0.04 %
742	Extinguishing system activation	71	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	50	0.00 %	50	0.00 %
743	Smoke detector activation, no fire - unintentional	7,796	1.17 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	300	0.00 %	360	0.00 %	660	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
744	Detector activation, no fire - unintentional	3,154	0.48 %	0	0	0.00 %	0	0.00 %	0	0.00 %	2	0.34 %	0	0.00 %	0	0.00 %	0	0.00 %
745	Alarm system sounded, no fire - unintentional	10,533	1.59 %	0	0	0.00 %	0	0.00 %	0	0.00 %	5	0.85 %	188,001	0.10 %	110,000	0.17 %	298,001	0.12 %
746	Carbon monoxide detector activation, no CO	870	0.13 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
751	Biological hazard, malicious false report	5	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
800	Severe weather or natural disaster, other	700	0.11 %	0	0	0.00 %	0	0.00 %	0	0.00 %	4	0.68 %	245,600	0.13 %	130,000	0.20 %	375,600	0.15 %
811	Earthquake assessment	207	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
812	Flood assessment	90	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
813	Wind storm, tornado/hurricane assessment	1,274	0.19 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,069,050	0.58 %	61,500	0.09 %	1,130,550	0.45 %
814	Lightning strike (no fire)	293	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	81,500	0.04 %	10,200	0.02 %	91,700	0.04 %
815	Severe weather or natural disaster standby	208	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	60,000	0.03 %	10,000	0.02 %	70,000	0.03 %
90	Special type of incident	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2011 to 12/31/2011

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
900	Special type of incident, other	2,482	0.37 %	0	0	0.00 %	0	0.00 %	0	0.00 %	11	1.87 %	239,650	0.13 %	12,700	0.02 %	252,350	0.10 %
911	Citizen complaint	903	0.14 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
UUU	Undetermined incident type (conversion only)	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
<b>Totals</b>		663,988	100 %	383	114	100 %	610	100 %	1	100 %	587	100 %	185,683,788	100 %	65,264,825	100 %	250,948,613	100 %
<b>Mutual Aid Given Incidents</b>		39,793																